

# International STEP Registry: Operative Data Collection Form



STEP Registry ID: \_\_\_\_\_  
Date of STEP: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_  
Date of Birth: \_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_  
Gender: \_\_\_\_\_ M / F  
Gestational Age at birth: \_\_\_\_\_ (weeks)  
Diagnosis: \_\_\_\_\_  
Race: \_\_\_\_\_

## Pre-Operative

% of calories from enteral Intake: \_\_\_\_\_

Pre-operative laboratory values:

Total Bilirubin (mg/dL): \_\_\_\_\_

Direct Bilirubin (mg/dL): \_\_\_\_\_

INR: \_\_\_\_\_

Serum d-xylose level at 60 min (mg/dL): \_\_\_\_\_

Serum Citrulline (umol/L): \_\_\_\_\_

## Intra-Operative Information:

Weight at time of Surgery: \_\_\_\_\_ (kg)

Additional procedures performed: \_\_\_\_\_

Pre-STEP:

Small bowel length: \_\_\_\_\_ (cm)  
(measured along anti-mesenteric border)

Small bowel width: \_\_\_\_\_ (cm)  
(measured along anti-mesenteric surface with bowel flattened)

Number of staple firings: \_\_\_\_\_

Post-STEP:

Small bowel length: \_\_\_\_\_ (cm)  
(measured along anti-mesenteric border)

Small bowel width (cm): \_\_\_\_\_ (cm)  
(measured along anti-mesenteric surface with bowel flattened)

Presence of Ileo-cecal Valve: Yes / No

Intra-operative Complications: \_\_\_\_\_